

SECTION 204 TEMPORARY EROSION CONTROL

MATERIAL		REF.	PURP.	SAMPLED BY	MIN. FREQ.	MIN. QUANT.	CERT.	SMALL QUANTITY	TYPICAL HANDLING TIME	REMARKS
		TESTED BY		METHOD		CONTAINER	DISTR.			
ASPHALTIC MATERIAL	Emulsified Asphalt	1002.01 Mat. Lab	Prelim. Source Approval/ Accept.	SEE SECTION 716 OF THIS MANUAL.						
BURLAP		204.03(e)(1) Mat. Lab	Accept.	Proj. Engr. S 601	1/source/ shipment*	3 lin ft/roll width of fabric**	-----	-----	10 days	*Visual inspection by Proj. Engr. Sample only if questionable. **Sample a minimum of 18 ft².
FERTILIZER		1018.16 Proj. Engr.	Accept.	SEE SECTION 718 OF THIS MANUAL.						
GEOTEXTILE FABRIC	Wire Supported Silt Fencing	204.03(e)(1) 1019 Type F Mat. Lab	Accept.	Proj. Engr. S 601	1/source/ shipment*	3 lin ft/roll width of fabric**	CD	-----	10 days	(QPL 61) *Visual inspection by Proj. Engr. Sample only if questionable. **Sample a minimum of 18 ft².
	Self Supported Silt Fencing	204.03(e)(2) 1019 Type G Mat. Lab	Accept.	Proj. Engr S 601	1/source/ shipment*	3 lin ft/roll width of fabric**	CD	-----	10 days	(QPL 61) *Visual inspection by Proj. Engr. Sample only if questionable. **Sample a minimum of 18 ft².
JUTE FABRIC		204.03(e) Mat. Lab	Accept.	Proj. Engr. S 601	1/source/ shipment*	-----	-----	-----	10 days	*Visual inspection by Proj. Engr. Sample only if questionable.
LIME (Agricultural)		1018.17 Mat. Lab	Accept.*	SEE SECTION 718 OF THIS MANUAL.						*Visual inspection by Proj. Engr. Sample only if questionable.
LIVESTOCK WIRE		204.03(e)(1) Mat. Lab	Accept.	Proj. Engr. S 601	1/source*	-----	----	-----	10 days	*Visual inspection by Proj. Engr. Sample only if questionable.

SECTION 204 TEMPORARY EROSION CONTROL (Cont'd)

[illegible]