FEDERAL PROJECT	STATE PROJECT	PARISH	SHEET NO.

OPENING					H	E	C	J	D	L	M	S	BARS E							#4 BARS J		BARS O			#4 BARS P		#4BARS H		#4BARS V		BARS M		CONC.	STEEL	OPENING				
Eq. Dia. in.	Span in.	Rise in.	No.	Area sq.ft.	Lgth. ft.in.	Lgth. ft.in.	Lgth. ft.in.	Lgth. ft.in.	Lgth. ft.in.	Lgth. ft.in.	Lgth. ft.in.	Lgth. ft.in.	Size	No.	Lgth. ft.in.	Spc. in.	X ft.in.	Y ft.in.	Z ft.in.	No.	Lgth. ft.in.	Size	No.	Lgth. ft.in.	Spc. in.	No.	Lgth. ft.in.	No.	Lgth. ft.in.	No.	Lgth. in.	Size No.	Lgth. ft.in.	CU. YDS.	LBS.	Area sq.ft.	No.	Rise in.	Span in.	Eq. Dia. in.
15	18	11	1	1.1	2- 3	0- 4	0- 6	2-11	0-10	6- 4	15- 4	1- 3	4	14	3- 1	12.0	0- 5	2	2- 6	2	6- 0	4	16	3- 5	12.0	7	15- 0	0	0- 0	2	8	4 2	15- 0	2.86	164	1.1	1	11	18	15
15	18	11	2	2.2	2- 3	0- 4	0- 6	2-11	0-10	6- 4	19- 9	1- 3	4	17	3- 1	12.0	0- 5	2	2- 6	2	6- 0	4	20	3- 5	12.0	7	19- 5	1	1- 5	4	8	4 2	19- 5	3.65	208	2.2	2	11	18	15
15	18	11	3	3.3	2- 3	0- 4	0- 6	2-11	0-10	6- 4	24- 1	1- 3	4	20	3- 1	12.0	0- 5	2	2- 6	2	6- 0	4	25	3- 5	12.0	7	23- 9	2	1- 5	6	8	4 2	23- 9	4.42	254	3.3	3	11	18	15
15	18	11	4	4.4	2- 3	0- 4	0- 6	2-11	0-10	6- 4	28- 6	1- 3	4	23	3- 1	12.0	0- 5	2	2- 6	2	6- 0	4	29	3- 5	12.0	7	28- 2	3	1- 5	8	8	4 2	28- 2	5.21	297	4.4	4	11	18	15
15	18	11	5	5.5	2- 3	0- 4	0- 6	2-11	0-10	6- 4	32-11	1- 3	4	26	3- 1	12.0	0- 5	2	2- 6	2	6- 0	4	34	3- 5	12.0	7	32- 7	4	1- 5	10	8	4 2	32- 7	6.00	343	5.5	5	11	18	15
15	18	11	6	6.6	2- 3	0- 4	0- 6	2-11	0-10	6- 4	37- 4	1- 3	4	29	3- 1	12.0	0- 5	2	2- 6	2	6- 0	4	38	3- 5	12.0	7	37- 0	5	1- 5	12	8	4 2	37- 0	6.79	387	6.6	6	11	18	15
18	22	13	1	1.7	2- 6	0- 4	0- 6	3- 1	0-10	7- 1	17- 4	1- 3	4	16	3- 4	12.0	0- 5	2	2- 9	2	6- 9	4	18	3- 7	12.0	7	17- 0	0	0- 0	3	8	4 2	17- 0	3.39	191	1.7	1	13	22	18
18	22	13	2	3.4	2- 6	0- 4	0- 6	3- 1	0-10	7- 1	22- 3	1- 3	4	19	3- 4	12.0	0- 5	2	2- 9	2	6- 9	4	23	3- 7	12.0	7	21-11	1	1- 5	6	8	4 2	21-11	4.30	242	3.4	2	13	22	18
18	22	13	3	5.1	2- 6	0- 4	0- 6	3- 1	0-10	7- 1	27- 3	1- 3	4	22	3- 4	12.0	0- 5	2	2- 9	2	6- 9	4	28	3- 7	12.0	7	26-11	2	1- 5	9	8	4 2	26-11	5.23	293	5.1	3	13	22	18
18	22	13	4	6.8	2- 6	0- 4	0- 6	3- 1	0-10	7- 1	32- 2	1- 3	4	25	3- 4	12.0	0- 5	2	2- 9	2	6- 9	4	33	3- 7	12.0	7	31-10	3	1- 5	12	8	4 2	31-10	6.14	343	6.8	4	13	22	18
18	22	13	5	8.5	2- 6	0- 4	0- 6	3- 1	0-10	7- 1	37- 1	1- 3	4	28	3- 4	12.0	0- 5	2	2- 9	2	6- 9	4	38	3- 7	12.0	7	36- 9	4	1- 5	15	8	4 2	36- 9	7.05	394	8.5	5	13	22	18
18	22	13	6	10.2	2- 6	0- 4	0- 6	3- 1	0-10	7- 1	42- 0	1- 3	4	31	3- 4	12.0	0- 5	2	2- 9	2	6- 9	4	43	3- 7	12.0	7	41- 8	5	1- 5	18	8	4 2	41- 8	7.97	444	10.2	6	13	22	18
24	28	18	1	2.8	3- 0	0- 5	0- 6	3- 3	0-10	8- 6	21- 0	1- 3	4	18	3-11	12.0	0- 6	2	3- 3	4	8- 2	4	22	3-10	12.0	7	20- 8	0	0- 0	3	8	4 2	20- 8	4.43	251	2.8	1	18	28	24
24	28	18	2	5.6	3- 0	0- 5	0- 6	3- 3	0-10	8- 6	26- 9	1- 3	4	21	3-11	12.0	0- 6	2	3- 3	4	8- 2	4	27	3-10	12.0	7	26- 5	2	1- 5	6	8	4 2	26- 5	5.56	309	5.6	2	18	28	24
24	28	18	3	8.4	3- 0	0- 5	0- 6	3- 3	0-10	8- 6	32- 6	1- 3	4	24	3-11	12.0	0- 6	2	3- 3	4	8- 2	4	33	3-10	12.0	7	32- 2	4	1- 5	9	8	4 2	32- 2	6.69	370	8.4	3	18	28	24
24	28	18	4	11.2	3- 0	0- 5	0- 6	3- 3	0-10	8- 6	38- 3	1- 3	4	27	3-11	12.0	0- 6	2	3- 3	4	8- 2	4	39	3-10	12.0	7	37-11	6	1- 5	12	8	4 2	37-11	7.82	431	11.2	4	18	28	24
24	28	18	5	14.0	3- 0	0- 5	0- 6	3- 3	0-10	8- 6	44- 0	1- 3	4	30	3-11	12.0	0- 6	2	3- 3	4	8- 2	4	45	3-10	12.0	7	43- 8	8	1- 5	15	8	4 2	43- 8	8.94	492	14.0	5	18	28	24
24	28	18	6	16.8	3- 0	0- 5	0- 6	3- 3	0-10	8- 6	49- 9	1- 3	4	33	3-11	12.0	0- 6	2	3- 3	4	8- 2	4	50	3-10	12.0	7	49- 5	10	1- 5	18	8	4 2	49- 5	10.07	551	16.8	6	18	28	24
30	36	22	1	4.4	3- 5	0- 6	0- 6	3- 6	0-10	9- 8	24- 5	1- 3	4	20	4- 5	12.0	0- 7	2	3- 8	4	9- 4	4	25	4- 2	12.0	7	24- 1	0	0- 0	4	8	4 2	24- 1	5.55	300	4.4	1	22	36	30
30	36	22	2	8.8	3- 5	0- 6	0- 6	3- 6	0-10	9- 8	31- 3	1- 3	4	23	4- 5	12.0	0- 7	2	3- 8	4	9- 4	4	32	4- 2	12.0	7	30-11	2	1- 5	8	8	4 2	30-11	6.67	373	8.8	2	22	36	30
30	36	22	3	13.2	3- 5	0- 6	0- 6	3- 6	0-10	9- 8	38- 0	1- 3	4	26	4- 5	12.0	0- 7	2	3- 8	4	9- 4	4	39	4- 2	12.0	7	37- 8	4	1- 5	12	8	4 2	37- 8	8.38	446	13.2	3	22	36	30
30	36	22	4	17.6	3- 5	0- 6	0- 6	3- 6	0-10	9- 8	44-10	1- 3	4	29	4- 5	12.0	0- 7	2	3- 8	4	9- 4	4	46	4- 2	12.0	7	44- 6	6	1- 5	16	8	4 2	44- 6	9.80	519	17.6	4	22	36	30
30	36	22	5	22.0	3- 5	0- 6	0- 6	3- 6	0-10	9- 8	51- 8	1- 3	4	32	4- 5	12.0	0- 7	2	3- 8	4	9- 4	4	52	4- 2	12.0	7	51- 4	8	1- 5	20	8	4 2	51- 4	11.23	589	22.0	5	22	36	30
30	36	22	6	26.4	3- 5	0- 6	0- 6	3- 6	0-10	9- 8	58- 6	1- 3	4	35	4- 5	12.0	0- 7	2	3- 8	4	9- 4	4	59	4- 2	12.0	7	58- 2	10	1- 5	24	8	4 2	58- 2	12.65	662	26.4	6	22	36	30
36	43	26	1	6.4	3-10	0- 7	0- 6	3- 8	0-10	10-10	27- 8	1- 3	4	24	4-11	12.0	0- 8	2	4- 1	6	10- 6	4	28	4- 5	12.0	8	27- 4	0	0- 0	5	8	4 2	27- 4	6.67	388	6.4	1	26	43	36
36	43	26	2	12.8	3-10	0- 7	0- 6	3- 8	0-10	10-10	35- 5	1- 3	4	27	4-11	12.0	0- 8	2	4- 1	6	10- 6	4	36	4- 5	12.0	8	35- 1	3	1- 5	10	8	4 2	35- 1	8.36	479	12.8	2	26	43	36
36	43	26	3	19.2	3-10	0- 7	0- 6	3- 8	0-10	10-10	43- 2	1- 3	4	30	4-11	12.0	0- 8	2	4- 1	6	10- 6	4	44	4- 5	12.0	8	42-10	6	1- 5	15	8	4 2	42-10	10.05	569	19.2	3	26	43	36
36	43	26	4	25.6	3-10	0- 7	0- 6	3- 8	0-10	10-10	50-11	1- 3	4	33	4-11	12.0	0- 8	2	4- 1	6	10- 6	4	52	4- 5	12.0	8	50- 7	9	1- 5	20	8	4 2	50- 7	11.74	659	25.6	4	26	43	36
36	43	26	5	32.0	3-10	0- 7	0- 6	3- 8	0-10	10-10	58- 9	1- 3	4	36	4-11	12.0	0- 8	2	4- 1	6	10- 6	4	59	4- 5	12.0	8	58- 5	12	1- 5	25	8	4 2	58- 5	13.45	747	32.0	5	26	43	36
36	43	26	6	38.4	3-10	0- 7	0- 6	3- 8	0-10	10-10	66- 6	1- 3	4	39	4-11	12.0	0- 8	2	4- 1	6	10- 6	4	67	4- 5	12.0	8	66- 2	15	1- 5	30	8	4 2	66- 2	15.14	837	38.4	6	26	43	36
42	51	31	1	8.8	4- 4	0- 8	0- 6	3-11	0-10	12- 3	31- 7	1- 5	4	34	5- 6	9.0	0- 9	2	4- 7	6	11-11	4	32	4- 9	12.0	8	31- 3	0	0- 0	6	8	4 2	31- 3	8.17	486	8.8	1	31	51	42
42	51	31	2	17.6	4- 4	0- 8	0- 6	3-11	0-10	12- 3	40- 8	1- 5	4	37	5- 6	9.0	0- 9	2	4- 7	6	11-11	4	41	4- 9	12.0	8	40- 4	3	1- 8	12	8	4 2	40- 4	10.27	592	17.6	2	31	51	42
42	51	31	3	26.4	4- 4	0- 8	0- 6	3-11	0-10	12- 3	49- 9	1- 5	4	40	5- 6	9.0	0- 9	2	4- 7	6	11-11	4	50	4- 9	12.0	8	49- 5	6	1- 8	18	8	4 2	49- 5	12.38	698	26.4	3	31	51	42
42	51	31	4	35.2	4- 4	0- 8	0- 6	3-11	0-10	12- 3	58- 9	1- 5	4	43	5- 6	9.0	0- 9	2	4- 7	6	11-11	4	59	4- 9	12.0	8	58- 5	9	1- 8	24	8	4 2	58- 5	14.46	804	35.2	4	31	51	42
42	51	31	5	44.0	4- 4	0- 8	0- 6	3-11	0-10	12- 3	67-10	1- 5	4	46	5- 6	9.0	0- 9	2	4- 7	6	11-11	4	69	4- 9	12.0	8	67- 6	12	1- 8	30	8	4 2	67- 6	16.57	913	44.0	5	31	51	42
42	51	31	6	52.8	4- 4	0- 8	0- 6	3-11	0-10	12- 3	76-11	1- 5	4	49	5- 6	9.0	0- 9	2	4- 7	6	11-11	4	78	4- 9	12.0	8	76- 7	15	1- 8	36	8	4 2	76- 7	18.67	1019	52.8	6	31	51	42
48	58	36	1	11.4	4-10	0- 9	0- 6	4- 1	0-10	13- 8	35- 4	1- 8	4	44	6- 1	7.5	0-10	2	5- 1	8	13- 4	4	36	5- 0	12.0	8	35- 0	0	0- 0	7	8	4 2	35- 0	9.68	607	11.4	1	36	58	48
48	58	36	2	22.8	4-10	0- 9	0- 6	4- 1	0-10	13- 8	45- 8	1- 8	4	48	6- 1	7.5	0-10	2	5- 1	8	13- 4	4	46	5- 0	12.0	8	45- 4	4	2- 0	14	8	4 2	45- 4	12.19	734	22.8	2	36	58	48
48	58	36	3	34.2	4-10	0- 9	0- 6	4- 1	0-10	13- 8	56- 0	1- 8	4	52	6- 1	7.5	0-10	2	5- 1	8	13- 4	4	57	5- 0	12.0	8	55- 8	8	2- 0	21	8	4 2	55- 8	14.70	865	34.2	3	36	58	48
48	58	36	4	45.6	4-10	0- 9	0- 6	4- 1	0-10	13- 8	66- 5	1- 8	4	56	6- 1	7.5	0-10	2	5- 1	8	13- 4	4	67	5- 0	12.0	8	66- 1	12	2- 0	28	8	4 2	66- 1	19.24	992	45.6	4	36	58	48
48	58	36	5	57.0	4-10	0- 9	0- 6	4- 1	0-10	13- 8	76- 9	1- 8	4	60	6- 1	7.5	0-10	2	5- 1	8	13- 4	4	77	5- 0	12.0	8	76- 5	16	2- 0	35	8	4 2	76- 5	19.75	1120	57.0	5	36	58	48
48	58	36	6	68.4	4-10	0- 9	0- 6	4- 1	0-10	13- 8	87- 1	1- 8	4	64	6- 1	7.5	0-10	2	5- 1	8	13- 4	4	88	5- 0	12.0	8	86- 9	20	2- 0	42	8	4 2	86- 9	22.27	1250	68.4	6	36	58	48
54	65	40	1	14.3	5- 3	0- 9	0- 8	4- 2	1- 0	14-10	38- 7	1-10	4	38	6-10	9.5	1- 0	2	5- 8	8	14- 6	4	39	5- 3	12.0	9	38- 3	0	0- 0	8	8	4 2	38- 3	13.31	672	14.3	1	40	65	54
54	65	40	2	28.6	5- 3	0- 9	0- 8	4- 2	1- 0	14-10	50- 2	1-10	4	42	6-10	9.5	1- 0	2	5- 8	8	14- 6	4	51	5- 3	12.0	9	49-10	4	2- 3	16	8	4 2	49-10	16.79	827	28.6	2	40	65	54
54	65	40	3	42.9	5- 3	0- 9	0- 8	4- 2	1- 0	14-10	61- 8	1-10	4	46	6-10	9.5	1- 0	2	5- 8	8	14- 6	4	62	5- 3	12.0	9	61- 4	8	2- 3	24	8	4 2	61- 4	20.24	978	42.9	3	40	65	54
54	65	40	4	57.2	5- 3	0- 9	0- 8	4- 2	1- 0	14-10	73- 3	1-10	4	50	6-10	9.5	1- 0	2	5- 8	8	14- 6	4	74	5- 3	12.0	9	72-11	12	2- 3	32	8	4 2	72-11	23.72	1133	57.2	4	40	65	54
54	65	40	5	71.5	5- 3	0- 9	0- 8	4- 2	1- 0	14-10	84- 9	1-10	4	54	6-10	9.5	1- 0	2	5- 8	8	14- 6	4	85	5- 3	12.0	9	84- 5	16	2- 3	40	8	4 2	84- 5	27.17	1284	71.5	5	40	65	54
54	65	40	6	85.8	5- 3	0- 9	0- 8	4- 2	1- 0	14-10	96- 4	1-10	4	58	6-10	9.5	1- 0	2	5- 8	8	14- 6	4	97	5- 3	12.0	9	96- 0	20	2- 3	48	8	4 2	96- 0	30.65	1439	85.8	6	40	65	54



SECTION A-A



SECTION B-B



PLAN



BARS E



ELEVATION

GENERAL NOTES

DESIGN: Method- Headwalls are designed as retaining walls according to current AASHTO working stress procedures. Walls are designed for a lateral earth pressure of 40 psf with 2.0 feet of surcharge. Overturning- A minimum safety factor of 2.0 is provided against overturning. The resultant of loads is within the middle third of the footing. Sliding - A minimum safety factor of 1.5 is provided against sliding. The coefficient of friction between the footing and soil is 0.5. Foundation - The design soil bearing pressure is 1800 psf. When strength of the soil at the site is less than 1800 psf, bedding material shall be added under the footing as directed.

MATERIALS: Concrete- All concrete shall be class A. All exposed edges shall be ¾ inch chamfered. Reinforcing Steel - Reinforcement shall be Grade 60. Bar spacing dimensions are to bar centers. Steel required for lap splices not detailed shall not be measured for payment. Reinforcing steel shall have 2" cover unless otherwise specified. Steel and concrete quantities shown in table are for one headwall.

A 1'-6" square of geotextile fabric (see Section 1019 of the LA DOTD Standard Specifications) shall be placed in contact with concrete behind each weephole in addition to approximately 2 cu.ft. of concrete sand (see Section 1003.02 of the LA DOTD Standard Specifications).

CONSTRUCTION JOINTS: All construction joints shown are optional. For details of keyed construction joints see Standard Plan CM-49. For construction joints without key, the joint surface shall be roughened. Hardened surface shall be cleaned. Immediately before new concrete is placed, joint surface shall be saturated with water.

STATE OF LOUISIANA
WILLIAM M. RAY
REG. No. 24936
REGISTERED PROFESSIONAL ENGINEER IN CIVIL ENGINEERING
7-26-01

DATE	DESCRIPTION	BY
11-14-97	Revised General Notes And Assigned Name HW45RCPA1	JCM

REVISIONS

SPECIAL DETAIL NO. HW45RCPA1 — SHEET 1 OF 1

STRAIGHT HEADWALL FOR RCPA ON A 45° CROSSING 15" EQUIV. THRU 54" EQUIV.

DATED January 6, 1993

STATE OF LOUISIANA
DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT

DESIGNED PAA	DETAILED KAJ	DIR. spdetail/headwall/
CHECKED	CHECKED PAA	FILE HW45rcpa.dgn

HYDRAULICS SECTION

NOT FOR OFFICIAL PURPOSES ONLY

28-NOV-2007 11:02
R:\Standard Plans\Special Details\English\Old Sheets\HW45RCPA1.dgn