





OPENING		BARREL REINFORCEMENT										CURB AND WING REINFORCEMENT									
Span in Feet	Height in Feet	BARS A					BARS A1					BARS B					BARS C				
		Size	No	Lgth. Spac.	Var.	Short Bar	Size	No	Lgth. Spac.	Var.	Short Bar	Size	No	Lgth. Spac.	Var.	Short Bar	Size	No	Lgth. Spac.	Var.	Short Bar
7	4	#6	106	9'-0"	5	#6	60	2'-3	5	3'-1	5	#4	94	12'-5	2	24	#4	50	7'-7	12	
	5	#6	106	9'-0"	5	#6	60	2'-3	5	3'-1	5	#4	94	12'-5	2	26	#4	60	8'-9	12	
	6	#6	106	9'-0"	5	#6	60	2'-3	5	3'-1	5	#4	112	10'-2	2	28	#4	70	9'-11	12	
	7	#6	106	9'-2"	5	#6	60	2'-4	5	3'-2	5	#4	94	12'-7	2	30	#4	94	5'-1	10	
8	4	#6	180	10'-0"	5	#6	72	2'-3	5	3'-4	5	#4	94	12'-5	4	26	#4	50	7'-8	12	
	5	#6	180	10'-0"	5	#6	72	2'-3	5	3'-4	5	#4	94	12'-5	4	28	#4	60	8'-10	12	
	6	#6	180	10'-2"	5	#6	72	2'-4	5	3'-5	5	#4	94	12'-7	4	30	#4	76	10'-0	11	
	7	#6	180	10'-2"	5	#6	72	2'-4	5	3'-5	5	#4	94	12'-7	4	32	#4	94	5'-1	10	
	8	#6	180	10'-4"	5	#6	72	2'-5	5	3'-6	5	#4	94	12'-8	4	34	#4	98	5'-5	11	
9	5	#7	146	11'-5"	6	#7	68	2'-5	6	10'-5	6	#4	94	12'-6	5	30	#4	50	7'-8	12	
	6	#7	146	11'-5"	6	#7	68	2'-5	6	10'-5	6	#4	94	12'-6	5	32	#4	60	8'-10	12	
	7	#7	146	11'-7"	6	#7	68	2'-6	6	10'-6	6	#4	94	12'-7	5	34	#4	76	10'-0	11	
	8	#7	146	11'-7"	6	#7	68	2'-6	6	10'-6	6	#4	94	12'-7	5	36	#4	98	5'-5	11	
	9	#7	146	11'-9"	6	#7	68	2'-7	6	10'-7	6	#4	94	12'-8	5	38	#4	100	5'-7	12	
10	5	#7	142	12'-7"	6	#7	76	2'-7	6	11'-7	6	#4	94	12'-6	6	32	#4	60	8'-11	12	
	6	#7	142	12'-7"	6	#7	76	2'-7	6	11'-7	6	#4	94	12'-6	6	34	#4	76	10'-1	11	
	7	#7	142	12'-7"	6	#7	76	2'-7	6	11'-7	6	#4	94	12'-6	6	36	#4	94	5'-1	10	
	8	#7	142	12'-9"	6	#7	76	2'-8	6	11'-8	6	#4	94	12'-8	6	38	#4	98	5'-5	11	
	9	#7	142	12'-9"	6	#7	76	2'-8	6	11'-8	6	#4	94	12'-8	6	40	#4	100	5'-7	12	
	10	#7	142	12'-11"	6	#7	76	2'-9	6	11'-9	6	#4	94	12'-10	6	42	#4	102	5'-9	12	

Includes 1'-6" Lap-Splice.

#6 Bars X to be 1/4" smooth and Greased for 1'-0" of Length