



PLAN




THREE LINEAR FEET OF 1/4" GALVANIZED
STEEL WIRE STOCK BENT TO A SPIRAL
CONFIGURATION.

TO INSTALL, TWIST 6" INTO THE OUTLET
END OF PIPE.

RODENT SHIELD DETAIL



SECTION A-A





SECTION B-B

NOTES:

- 1) GEOCOMPOSITE DRAINAGE SYSTEMS MAY BE PROVIDED AS AN ALTERNATE TO THE PERFORATED PIPE/PEA GRAVEL/GEOTEXTILE FABRIC SYSTEM, SUBJECT TO THE APPROVAL OF THE PROJECT ENGINEER.
- 2) COST OF PEA GRAVEL, 6" CLAY BLANKET, POLYETHYLENE MEMBRANE (6 MIL), RODENT SHIELD & GEOTEXTILE FABRIC TO BE INCLUDED IN PRICE BID ON 6" PERFORATED PLASTIC PIPE, AND 6" NON-PERFORATED PLASTIC PIPE, IN ACCORDANCE WITH CURRENT LA DOTD STANDARD SPECIFICATIONS.



Jack C Manno
3/6/06

 <p>PERFORATED PLASTIC PIPE AT 90° ANGLE</p>	<p>SPECIAL DETAIL</p>		<p>SPRING-DRO1</p>			<p>NO.</p> <p>DATE</p> <p>REVISION DESCRIPTION</p>	<p>DATE</p> <p>SHEET</p> <p>OF</p>	<p>DATE</p> <p>SHEET</p> <p>OF</p>	<p>STATE PROJECT</p>	<p>FEDERAL PROJECT</p>	<p>PARISH</p>	<p>SHEET NUMBER</p>
<p>2 3-06 New Sheet Border, mill thickness, general changes JCM</p>												
<p>1 8-27-98 Changed Sheet Border & Added Name JCM</p>												