












MARK	SIZE	TYPE	STYLE	REMARKS
I	3'-4" x 7'-0" x 1'-8"	3470-G2	METAL	SEE GENERAL NOTES
A	4'-0" x 5'-4"	225	ARCH. PROJ.	SEE GENERAL NOTES
B	3'-4" x 5'-4"	215	ARCH. PROJ.	SEE GENERAL NOTES



FINISH SCHEDULE						
ITEM	WALLS	CEILING	FLOOR	BASE	TRIM	REMARKS
HOUSE	RUBBED PLASTER	PLASTER	TILE	TILE	METAL	TAR & ORNELL SEE DETAILS

PAINTING NOTES:
Inside plastered walls to be painted two coats water-thinned paint such as Texolite or Kern-Tone. From the base to the bottom of window (2'-6" from floor) all around to be dark slate color. From bottom of window up and ceiling to be ivory color.
Doors & windows to have one field coat Aluminum before glazing & one coat Aluminum after glazing. The inside to be painted two coats dark slate semi-gloss enamel such as Sherwin-Williams Semi-lustre.
The above paint to be as specified or approved equal.



STANDARD PLAN
OPERATOR'S HOUSE

DATED March 1, 1953

STATE OF LOUISIANA
DEPARTMENT OF HIGHWAYS

DESIGNED	DETAILS	TRACED
CHECKED	CHECKED	CHECKED
BRIDGE DESIGN SECTION		

DATE	DESCRIPTION	BY
5-2-51	Door Checks	Wooten
12-18-50	Electric Heater Changed	L.O.G.G.
	REVISIONS	